

Abrasive products for  
wood floor finishing



## EXPERTISE IN WOOD FLOOR APPLICATIONS

Your partner for all sanding applications in the flooring industry



1.

Abrasives for belt sanders



2.

Abrasives for single /  
multi-disc sanders




3.

Abrasives for edge sanders



## ARTICLE NO. 341 X

Backing	Heavy, durable X-weight polyester cloth
Bonding	Resin over resin
Grain type	Zirconia
Coat	Closed
Grits	24, 36, 40, 50, 60, 80, 100, 120
Cut shapes	Rolls, belts, Velcro discs, discs w/ slots
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– Extremely high abrasive performance</li> </ul>



## ARTICLE NO. 041 XP

Backing	Heavy X-weight cotton/polyester fabric blend
Bonding	Resin over resin
Grain type	Ceramic
Coat	Closed
Grits	36, 60, 80
Cut shapes	Belts
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood
Benefits	<ul style="list-style-type: none"> <li>– Optimized belt life</li> <li>– Very heavy duty applications</li> <li>– Self-sharpening effect</li> </ul>



## ARTICLE NO. 514 D - 514 C2

Backing	514 D: Sturdy D-paper, high tear resistance 514 C2: Flexible latex C-paper
Bonding	514 D: Resin over resin 514 C2: Resin over resin with stearate
Grain type	Aluminum Oxide
Coat	Very open
Grits	514 D: 40, 60, 80, 100, 120 514 C2: 150, 180, 220, 240
Cut shapes	PSA rolls, Velcro discs
Areas of application	New flooring / old floor refinishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Designed for all commercially available sanders</li> <li>– Optimized price-performance ratio</li> <li>– Easy to use</li> </ul>



## ARTICLE NO. 543 X - 641 X

Backing	Heavy X-weight cotton fabric
Bonding	Resin over resin
Grain type	Aluminum oxide
Coat	Closed
Grits	543X: 16, 24, 36 641X: 40, 50, 60, 80, 100, 120
Cut shapes	Belts
Areas of application	New flooring / old floor refinishing
Suitable for	Hardwood and softwood
Benefits	<ul style="list-style-type: none"> <li>– Durable cloth backing</li> <li>– Excellent price-performance ratio</li> </ul>





## ARTICLE NO. 943 FF - 942 EE

Backing	943 FF: Durable F-paper 942 EE: Strong E-paper
Bonding	Resin over resin
Grain type	Silicon Carbide
Coat	Semi-open
Grits	943 FF: 16, 24 942 EE: 36, 40, 50, 60, 80, 100, 120

Cut shapes	Double-sided discs
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>



## ARTICLE NO. 943 F - 942 E

Backing	943 F: Durable F-paper 942 E: Strong E-paper
Bonding	Resin over resin
Grain type	Silicon Carbide
Coat	Closed
Grits	943 F: 16, 24 942 E: 36, 40, 50, 60, 80, 100, 120
Cut shapes	Rolls, Velcro discs, discs w/ slots
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Sharp-edged abrasive grain</li> <li>– Long service life</li> </ul>




## ARTICLE NO. 942 XP - 942 XYP

Backing	Heavy, durable X- or XY-weight polyester fabric
Bonding	Resin over resin
Grain type	Silicon Carbide
Coat	Semi-open
Grits	942 XYP: 24, 30, 40 942 XP: 50, 60, 80, 100, 120
Cut shapes	Belts
Areas of application	Old floor refinishing
Suitable for	Hardwood, "barn red" floor paint, concrete and floor screen
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– High abrasive performance</li> <li>– Sharp-edged and hard abrasive grain</li> </ul>



## ARTICLE NO. 943 X

Backing	Heavy X-weight cotton fabric
Bonding	Resin over resin
Grain type	Silicon Carbide
Coat	Open
Grits	12
Cut shapes	Rolls, belts
Areas of application	Old floor refinishing
Suitable for	Hardwood, "barn red" floor paint, concrete and floor screen
Benefits	<ul style="list-style-type: none"> <li>– Long service life</li> <li>– High abrasive performance</li> <li>– Sharp-edged and hard abrasive grain</li> </ul>





## SANDING SCREENS

Backing	Nylon
Grain type	Silicon carbide
Grits	60, 80, 100, 120, 150, 180, 220
Cut shapes	Discs
Areas of application	Pre-sanding, interim sanding and final finishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– High tear resistance</li> <li>– Low dust generation</li> <li>– Long belt life</li> </ul>



## NONWOVEN

Backing	Polyester fiber
Grain type	Maroon: Aluminum oxide White: none
Grits	Very fine (maroon), Non-abrasive (white)
Cut shapes	Discs
Areas of application	New flooring / old floor refinishing
Suitable for	All types of wood
Benefits	<ul style="list-style-type: none"> <li>– Wet or dry sanding</li> <li>– Minimal loading</li> <li>– Long service life</li> </ul>





STARCKE Abrasives USA, Inc  
9109 Forsyth Park Drive  
Charlotte NC 28273  
Toll-free phone 1 (866) 742-6683  
Toll-free fax 1 (877) 504-1204  
sales@starckeusa.com  
www.starckeusa.com